

INDICE

MANUAL G - Línea 3037

3005 / 08 - Pág. 3

Tablilla



3037 / 01 - Pág. 1

Guía Pala 120 mm.



3037 / 02 - Pág. 3

Zócalo



3037 / 03 - Pág. 1

Guía Cajón 120 mm.



3037 / 04 - Pág. 1

Guía Pala 150 mm.



3037 / 05 - Pág. 2

Guía Cajón 150 mm.



3037 / 06 - Pág. 4

Frente cajón 155



3037 / 08 - Pág. 3

Tablilla



3037 / 09 - Pág. 3

Guía para mini



3037 / 14 - Pág. 4

Cabezal



3037 / 15 - Pág. 4

Frente cajón 185



3037 / 16 - Pág. 3

Guía central



3037 / 20 - Pág. 2

Guía Cajón 163 mm.



3037 / 21 - Pág. 2

Guía cajón 175 mm.



3037 / 22 - Pág. 4

Contrafrente cajón
PVC 185 mm.



3037/26 - Pág. 4

Contrafrente
cajón PVC



3037 / 27 - Pág. 5

Riel inferior (Blackout y screen)



3037 / 28 - Pág. 5

Eje tubular 44 mm
(Blackout y screen)




3037 / 29 - Pág. 5

Eje tubular 33 mm



3037 / 30 - Pág. 5

Eje tubular 39 mm



3037 / 41 - Pág. 4

Guía



3037 / 67 - Pág. 4

Terminal



3037 / 107 - Pág. 3


Guía recambio



3056 / 10 - Pág. 3

Perfilin






3037/01

Guía pala 120 mm
1.126 g/m
4 barras de 6.200 mm.




3037/03

Guía cajón 120 mm
1.122 g/m
4 barras de 6.200 mm.




3037/04

Guía pala 150 mm
1.288 g/m
4 barras de 6.200 mm.




3037/05

Guía cajón 150 mm
1.223 g/m
4 barras de 6.200 mm.



3037/20

Guía cajón 163 mm
1.609 g/m
3 barras de 6.200 mm.




3037/21

Guía cajón 175 mm
1.436 g/m
4 barras de 6.200 mm.




3037/08

Tablilla
 346 g/m
 10 barras de 6.200 mm.



3037/02

Zócalo
 293 g/m
 10 barras de 6.200 mm.




3037/107

Guía recambio
 292 g/m
 18 barras de 6.200 mm.



3005/08

Tablilla
 418 g/m
 12 barras de 6.200 mm.




3037/09

Guía para mini
 602 g/m
 8 barras de 6.200 mm.




3056/10

Perfilin
 229 g/m
 20 barras de 6.050 mm.




3037/16

Guía central
 923 g/m
 5 barras de 6.200 mm.




3037/06

Frente cajón 155
 829 g/m
 6 barras de 6.200 mm.




3037/15

Frente cajón 185
 994 g/m
 4 barras de 6.200 mm.



3037/26


Contrafrente cajón PVC
 875 g/m
 4 barras de 6.200 mm.



3037/22


Contrafrente cajón PVC 185 mm
 924 g/m
 4 barras de 6.200 mm.

MOSQUITEROS




3037/14

Cabezal
 608 g/m
 6 barras de 6.200 mm.




3037/41

Guía
 351 g/m
 12 barras de 6.200 mm.




3037/67

Terminal
 332 g/m
 10 barras de 6.200 mm.




3037/27

Riel inferior (Blackout y screen).
235 g/m
15 barras de 6.050 mm.




3037/28

Eje tubular 44 mm (Blackout y screen).
580 g/m
5 barras de 6.000 mm.



3037/29

Eje tubular 33 mm
413 g/m
6 barras de 6.200 mm.



3037/30

Eje tubular 39 mm
489 g/m
6 barras de 6.050 mm.